

## Claims

1. A method for controlling power consumption during a rock drilling process with a rock drilling apparatus, wherein the rock drilling apparatus includes main power supply means for supplying power for the rock drilling process, which includes at least the sub-processes of percussion and/or rotation and flushing, the method comprising the steps of:
- adjusting the flush power at least partly as a function of hole depth, and
  - controlling at least the percussion power and/or rotational power and the flush power such that the total power consumption of each sub-process is controlled.
2. Method according to claim 1, **characterised in** that the flush power further is adjusted at least partly as a function of hole diameter and/or diameter of the drill rod.
3. Method according to claim 1 or 2, **characterised in** that the total power consumption of each sub-process is controlled such that the power output from the main power supply means is kept at or below a predetermined level.
4. Method according to any of the claims 1-3, **characterised in** that the flow of the flush medium is kept substantially constant throughout the drilling process.
5. Method according to any of the claims 1-3, **characterised in** that the flow of the flush medium is increased with increasing hole depth.
6. Method according to any of the claims 1-5, **characterised in** that the hole depth is continuously measured.

7. Method according to any of the claims 1-6, **characterised in** that the flow of the flush medium is continuously measured.
- 5 8. Method according to any of the claims 1-7, **characterised in** that the required flush power is determined by computer means.
9. Method according to claim 8, **characterised in** that the computer means is connected to a memory in which is stored a  
10 table comprising one or more lists at least partly including type of drill tool and/or type of drill rod and/or hole depth and that the flush power is determined based on stored values.
10. Method according to any of the claims 1-9, **characterised**  
15 **in** that percussion is performed by a hydraulic top hammer.
11. System for controlling power consumption during a rock drilling process with a rock drilling apparatus, wherein the rock drilling apparatus includes main power supply means for supplying power for the rock drilling process, which includes  
20 at least the sub-processes of percussion and/or rotation and flushing, the system comprising:
- means for adjusting the flush power at least partly as a function of hole depth, and
  - means for controlling at least the percussion power and/or  
25 rotational power and the flush power such that the total power consumption of each sub-process is controlled.
12. System according to claim 11, **characterised in** that it further includes means for adjusting the flush power at least  
30 partly as a function of hole diameter and/or diameter of the drill rod.

13. System according to claim 11 or 12, **characterised in** that the system is arranged to control the total power consumption of each sub-process such that the power output from the main power supply means is kept at or below a predetermined level.

5

14. System according to any of the claims 11-13, **characterised in** that the system is arranged to keep the flow of the flush medium substantially constant throughout the drilling process.

10

15. System according to any of the claims 11-13, **characterised in** that the system is arranged to increase the flow of the flush medium with increasing hole depth.

15

16. System according to any of the claims 11-15, **characterised in** that the system is arranged to continuously measure the hole depth.

20

17. System according to any of the claims 11-16, **characterised in** that the system is arranged to continuously measure the flow of the flush medium.

25

18. System according to any of the claims 11-17, **characterised in** that the system is arranged to determine the required flush power by computer means.

0

19. System according to claim 18, **characterised in** that the computer means is connected to a memory arranged to store a table comprising one or more of lists at least partly including type of drill tool and/or type of drill rod and/or hole depth, and that the flush power is arranged to be determined based on stored values.

20. System according to any of the claims 11-19, **characterised in** that percussion is arranged to be performed by a hydraulic top hammer.

- 5    21. Rock drill apparatus, **characterised in** that is arranged to include a system according to any of the claims 11-20.